

Coral+Co.  
MODERN SEWING



# Maid Modern

Crib and Throw Quilt Sizes

## Getting Started

- Before starting be sure to read through pattern completely.
- Seam allowances are 1/4in, unless otherwise noted.
- Press seams open, unless otherwise instructed.
- RST = right sides together.
- WOF = width of fabric.
- HST = half-square triangle.
- Width of Fabric assumes 42" wide fabric

## Fabric Requirements

### Crib Size:

1. Fabric A (pink) - 1/4 yd
2. Fabric B (navy) - 1/4 yd
3. Fabric C (aqua) - 1/4 yd
4. Fabric D (yellow) - 1/4 yd
5. Fabric E (light blue)- 1/4 yd
6. Fabric F (blue) - 2/3 yd
7. Fabric G (white) - 2 yd
8. Backing Fabric - 1 1/2 yds
9. Batting - 45in x 58in
10. Binding Fabric - 1/2 yd

Finished Dimensions:  
39 x 52

### Throw Size:

1. Fabric A (pink) - 2/3 yd
2. Fabric B (navy) - 1/3 yd
3. Fabric C (aqua) - 1/3 yd
4. Fabric D (yellow) - 1/3 yd
5. Fabric E (light blue)- 1/3 yd
6. Fabric F (blue) - 1 yd
7. Fabric G (white) - 2 1/4 yd
8. Backing Fabric - 2 1/2 yds
9. Batting - 56in x 73in
10. Binding Fabric - 1/2 yd

Finished Dimensions:  
50 x 67

## Cutting Instructions

### Crib Size:

1. Cut Five (5) 7 1/2 in squares from fabric A
2. Cut Three (3) 7 1/2 in squares from fabric B
3. Cut Two (2) 7 1/2 in squares from fabric C
4. Cut One (1) 7 1/2 in squares from fabric D
5. Cut Two (2) 7 1/2 in squares from fabric E
6. Cut Nine (9) 7 1/2 in squares from fabric F
7. Cut Twenty (20) 7 1/2 in squares from fabric G
8. Cut Ten (10) 7in squares from fabric G
9. Cut Five (5) 2 1/2in x WOF from the binding fabric

### Throw Size:

- |                    |                                       |
|--------------------|---------------------------------------|
| 1. Cut Five (5)    | 9 1/2 in squares from fabric A        |
| 2. Cut Three (3)   | 9 1/2 in squares from fabric B        |
| 3. Cut Two (2)     | 9 1/2 in squares from fabric C        |
| 4. Cut One (1)     | 9 1/2 in squares from fabric D        |
| 5. Cut Two (2)     | 9 1/2 in squares from fabric E        |
| 6. Cut Nine (9)    | 9 1/2 in squares from fabric F        |
| 7. Cut Twenty (20) | 9 1/2 in squares from fabric G        |
| 8. Cut Ten (10)    | 8.5in squares from fabric G           |
| 9. Cut Five (5)    | 2 1/2in x WOF from the binding fabric |

## Piecing the HST

FIG. 1






FIG. 2



1. To make HST take one **Fabric A** square and one **Fabric G**. Mark a diagonal line on the wrong side of **Fabric G** square. (Fig 1)
2. Place the squares RST with **Fabric G** square on top. Stitch 1/4in on both sides of the marked line and then cut down the marked line. (Fig 2)

FIG. 3



3. Open the blocks outward and press. Place a ruler over the block keeping the 45 degree diagonal line over the diagonal seam. Trim to square size needed according to chart. There will now be two HSTs (Fig 3)

### Trim HST Block Size:

Crib: 7"


Throw: 8.5"

4. Repeat step 9-11 with the rest of the A - E fabric squares to make a total of the following:
  5. 10 A/G HSTs
  6. 4 B/G HSTs
  7. 4 C/G HSTs
  8. 2 D/G HSTs
  9. 2 E/G HSTs
  10. 18 F/G HSTs - You need 17 so you will have one left over
  11. 2 B/E HSTs - You need 1 so you will have one left over
- \*\*\*Visit <https://coralaandco.com> for more tips on piecing half square triangles.


## Assembling The Quilt Top

1. Arrange 38 HSTs and the 10 squares into eight rows of six blocks each, referring to the layout diagram below for placement.
2. Join the units into rows and then the rows together from top to bottom to complete the quilt top.

Layout Diagram



Layout Diagram Key





## Quilting and Finishing

1. Cut the backing fabric to be 3-4in larger on each side than the quilt top, being sure to remove selvages. Press well.
2. Press the quilt top well. Place the batting on the wrong side of the backing, then place the quilt top central and right side up forming a quilt sandwich. Baste the layers in place with your preferred method.
3. Quilt as desired. This quilt was quilted with a modern continuous geometric pattern.
4. Trim the excess batting and backing even with the quilt top edges and square up the quilt.
5. Sew the binding strips together end to end using diagonal seams. Press the seams open and trim away the edges. Fold in half lengthwise, WST, and press.
6. Sew the binding to the right side of the quilt, fold a miter at each corner.
7. Fold the binding over to the back side and hand stitch binding in place to finish.



Coral+Co.  
MODERN SEWING

© Coral + Co. 2018

Please do not redistribute or copy  
without prior consent.

Designed by Shelly Morgan

Web: <http://coralandco.com>

Email: [shelly@coralandco.com](mailto:shelly@coralandco.com)